


EXERCISE 17.1

Q1. Construct a $\triangle ABC$, in which

- (i) $m\overline{AB} = 3.2\text{ cm}$, $m\overline{BC} = 4.2\text{ cm}$, $m\overline{CA} = 5.2\text{ cm}$

Solution:




Construction:

- Draw a line segment $m\overline{CA} = 5.2\text{ cm}$.
- With center A and radius equal to 3.2 cm, draw an arc.
- With center C and radius equal to 4.2 cm, draw another arc to cut the first arc at point B.
- Join BC and AB.

Then ABC is the required triangle.

- (ii) $m\overline{AB} = 3.9\text{ cm}$, $m\overline{BC} = 3.6\text{ cm}$, $m\overline{CA} = 4.2\text{ cm}$

Solution:



Construction:

- Draw a line segment $\overline{AC}$ such that $m\overline{AC} = 4.2\text{ cm}$.

1

- With center A and radius 3.9 cm draw an arc.
- With center C and radius 3.6 cm draw another arc to cut the first arc at B.
- Join C to A and B.

ABC is the required angle.

- (iii) $m\overline{AB} = 4.8\text{ cm}$, $m\overline{BC} = 3.7\text{ cm}$, $m\angle B = 60^\circ$

Solution:



Construction:


- Draw a line segment $m\overline{AB} = 4.8\text{ cm}$.
- At the end B of AB make $m\angle ABC = 60^\circ$.
- Cut off $m\overline{BC} = 3.7\text{ cm}$.
- Join A to C.

ABC is the required angle.

- (iv) $m\overline{AB} = 3\text{ cm}$, $m\overline{AC} = 3.2\text{ cm}$, $m\angle A = 45^\circ$

Solution:

2




Construction:

- Draw a line segment $m\overline{AB} = 3\text{ cm}$.
- At the end A of $\overline{AB}$ make $\angle CAB = 45^\circ$.
- Cut off $m\overline{AC} = 3.2\text{ cm}$.
- Join B to C.

So, ABC is the required triangle.

- (v) $m\overline{AB} = 4.2\text{ cm}$, $m\overline{CA} = 3.5\text{ cm}$, $m\angle C = 75^\circ$

Solution:



Construction:


- Draw a line segment $m\overline{BC} = 4.2\text{ cm}$.
- At the end C of $\overline{BC}$ make $\angle BCA = 70^\circ$.
- Cut off $m\overline{CA} = 3.5\text{ cm}$.
- Join A to B.

So, ABC is the required triangle.

3

- (vi) $m\overline{AB} = 2.5\text{ cm}$, $m\angle A = 30^\circ$, $m\angle B = 105^\circ$

Solution:



Construction:

- Draw a line segment $m\overline{AB} = 2.5\text{ cm}$.
- At the end point A of $\overline{AB}$ make $\angle BAC = 30^\circ$.
- At the end point B of $\overline{AB}$ make $\angle ABC = 105^\circ$.
- The terminal sides of these two angles meet at C.

Then ABC is the required triangle.

- (vii) $m\overline{AB} = 3.6\text{ cm}$, $m\angle A = 75^\circ$, $m\angle B = 45^\circ$

Solution:



Construction:

- Draw a line segment $m\overline{AB} = 3.6\text{ cm}$.
- At the end point A of $\overline{AB}$ make $\angle BAC = 75^\circ$.
- At the end point B of $\overline{AB}$ make $\angle ABC = 45^\circ$.
- The terminal sides of these two angles meet at C.

Then ABC is the required triangle.

4

- (i) Draw a line segment $m\overline{AB} = 3.6\text{ cm}$.


- (ii) At the end point A of $\overline{AB}$ make $\angle BAC = 75^\circ$

- (iii) At the end point B of $\overline{AB}$ make $\angle ABC = 45^\circ$

- (iv) The terminal sides of these two angles meet at C.
Then ABC is the required triangle.

- (ii) $m\overline{ZX} = 6.4\text{ cm}$, $m\overline{YZ} = 2.4\text{ cm}$ and $m\angle X = 90^\circ$

Solution:




Construction:

- Draw a line segment $m\overline{XY} = 6.1\text{ cm}$.
- At the end point X of $\overline{XY}$ make $\angle XYZ = 90^\circ$.
- With center Y and radius equal to 7.6 cm draw an arc to cut $\overline{XZ}$ at point Z.
- Join Y to Z.

Then XYZ is the required triangle.

- (ii) $m\overline{ZX} = 6.4\text{ cm}$, $m\overline{YZ} = 2.4\text{ cm}$ and $m\angle X = 90^\circ$

Solution:




Construction:

- Draw a line segment $m\overline{YZ} = 2.4\text{ cm}$.
- At the end point Y of $\overline{YZ}$ make $\angle XYZ = 90^\circ$.
- With center Z and radius equal to 6.4 cm draw an arc to cut $\overline{XZ}$ at point X.
- Join X to Z.

Then XYZ is the required triangle.

- (iii) $m\overline{XY} = 5.5\text{ cm}$, $m\overline{ZX} = 4.5\text{ cm}$ and $m\angle Z = 90^\circ$

Solution:



Construction:

- Draw a line segment $m\overline{ZX} = 4.5\text{ cm}$.
- At the end point Z of $\overline{ZX}$ make $\angle XZY = 90^\circ$.

6


- (iii) With center X and radius equal to 5.5 cm draw an arc to cut $\overline{ZL}$ at point Y.

- (iv) Join Y to X.

Then the required triangle is $\triangle XYZ$.

Q3. Construct a right-angled triangle of whose hypotenuse is 5 cm and one side is 3.2 cm. (Hint: Angle in a semi-circle is a right angle).

Solution:



Construction:


- Draw a line segment $m\overline{AB} = 5.2\text{ cm}$.
- Find the mid-point O of $\overline{AB}$.
- With center at O and radius equal to $\overline{OA}$ draw and semi-circle.
- Join C to A and B.

Then ABC is the required triangle.

Q4. Construct a right-angled isosceles triangle whose hypotenuse is 5.2 cm long

Solution:

7




Construction:

- Draw a line segment $m\overline{AB} = 5\text{ cm}$
- Draw $\overline{LM}$ the right bisector of $\overline{AB}$ cutting it at the point O.
- With center at the point O and AB as diameter draw a semi-circle to cut $\overline{LM}$ at the point C.
- Join C to A and B.

So, the required triangle is $\triangle ABC$.

- (ii) **4.8 cm**

Solution:



Construction

- Draw a line segment $m\overline{AB} = 4.8\text{ cm}$.
- Draw $\overline{LM}$ the right bisector of $\overline{AB}$ cutting it at the point O.
- With center at the point O and AB as diameter draw a semi-circle to cut $\overline{LM}$ at the point C.
- Join C to A and B.

Then $\triangle ABC$ is the required triangles.

- (iii) $m\overline{BC} = 5\text{ cm}$, $m\overline{AB} = 3.5\text{ cm}$, $m\angle B = 60^\circ$

Solution:



Construction

- Draw a line segment $m\overline{AB} = 6.9\text{ cm}$
- At the end point B make $m\angle CBL = 90^\circ$
- With center at B and radius 7.3 cm, draw an arc to cut $\overline{AL}$ at the end point C.
- Join A to C.

Then $\triangle ABC$ is the required triangles.

11

Construction:

- Draw a line segment $m\overline{BC} = 5\text{ cm}$.
- At the end point B make $m\angle CBL = 60^\circ$
- With center at the point C and radius 3.5 cm draw an arc.

It does not cut $\overline{BL}$.


So, we cannot construct a triangle with the given data.

12

EXERCISE 17.3

Q1. Construct a quadrilateral ABCD, having $m\overline{AB} = m\overline{AC} = 5.3\text{cm}$, $m\overline{BC} = m\overline{CD} = 3.8\text{cm}$ and $m\overline{AD} = 2.8\text{cm}$.

Solution:




Construction:

- (i) With center at A and B radius 5.3 cm draw an arc.
- (ii) Take $m\overline{AB} = 5.3\text{ cm}$.
- (iii) With center at B and radius 3.8 cm draw another arc to cut the first arc at D.
- (iv) Join $\overline{BC}$ and $\overline{AC}$.
- (v) With center at C and radius 3.8 cm draw an arc.
- (vi) With center at A and radius 2.8 c draw another arc to cut the first arc at D.
- (vii) Join $\overline{AD}$ and $\overline{DC}$ to complete the quadrilateral ABCD.
- (viii) Through D draw $\parallel \overline{CA}$ meeting BA produced at P.
- (ix) Join $\overline{PC}$.
- (x) The $\triangle PBC$ is the required triangle.

Q2. Construct a $\triangle$ equal in area to the quadrilateral PQRS, having $m\overline{QR} = 7\text{cm}$, $m\overline{RS} = 6\text{cm}$, $m\overline{SP} = 2.75\text{cm}$, $m\angle QRS = 60^\circ$ and $m\angle RSP = 90^\circ$ [Hint: $2.75 = \frac{1}{2} \times 5.5$]

Solution:




Construction:

- (i) Take $m\overline{QR} = 7\text{ cm}$.
- (ii) At the point R make $m\angle QRS = 60^\circ$
- (iii) With center at R cut off $\overline{RS} = 6\text{ cm}$
- (vi) Join $\overline{PQ}$ to complete the quadrilateral PQRS.
- (vii) Join $\overline{QS}$
- (viii) Through P draw $PL \parallel QS$ to meet RQ produced at L.
- (ix) Join $\overline{SL}$.
- (x) Then LRS is the required triangle

Q3. Construct a $\triangle$ equal in area to the quadrilateral ABCD, having $m\overline{AB} = 6\text{cm}$, $m\overline{BC} = 4\text{cm}$, $m\overline{AC} = 7.2\text{cm}$, $m\angle BAD = 105^\circ$ and $m\overline{BD} = 8\text{cm}$.

Solution




Construction

- (i) Take $\overline{AB} = 6\text{cm}$.
- (ii) With center at the end point A and radius 7.2 cm draw an arc.
- (iii) With B as center and radius 4 cm draw another arc to cut AL at the point D.
- (iv) Join AC and BC .
- (v) At the end point A make $m\angle BAL = 105^\circ$.
- (vi) With B as center and radius 8 cm draw arc to cut AL at the point D.
- (vii) Join DC to complete the quadrilateral ABCD.
- (viii) Draw $\overline{DP} \parallel \overline{CA}$ to meet BA produced at P.
- (ix) Join P to C.
- (x) Then PBC is the required triangle.

Q4. Construct a right-angled triangle equal in area to a given square.

Solution:



Construction:

- (i) Draw perpendicular bisector of $\overline{BC}$.
- (ii) Mark point E the midpoint of $\overline{BC}$.
- (iii) Draw the straight-line DEF to meet AB produced the point F.
- (iv) Then DAF is the required right-angled triangle

Note:


Right angled triangles DCE and FBE are congruent because $m\overline{CE} = m\overline{BE}$ and $m\angle CED = m\angle BEF$.

So, area $\triangle DAF$
= area quadrilateral ABED + area $\triangle FBE$
= area quadrilateral ABED + area $\triangle ECD$
= area square ABCD.

EXERCISE 17.4

Q1. Construct a Δ with sides 4 cm, 5 cm and 6 cm and construct a rectangle having its area equal to that of the Δ . Measure its diagonals. Are they equal?

Solution:



Construction:


- (i) Draw a line segment $m\overline{BC} = 6$ cm.
- (ii) With center at the point B and radius as 4 cm draw an arc
- (iii) With center at the point C with radius 5 cm draw another arc cut the first arc at the point A.
- (iv) Join $\overline{AC}$ and $\overline{AB}$ to complete the ΔABC .
- (v) Bisect $\overline{BC}$ at P.
- (vi) Draw $\overline{AL} \parallel \overline{BC}$.
- (vii) Draw perpendicular $\overline{DP}$ to meet $\overline{AL}$ at P.
- (viii) Cut off $\overline{PQ} = \overline{DC}$
- (ix) Join Q to C.

Then PQCD is the required rectangle. Measure the diagonal $\overline{DC} = 4.5$ cm

Q2. Transform Isosceles Δ into rectangle.

1

Solution:




Construction:

- (i) Draw $\overline{AD} \perp \overline{BC}$
- (ii) Draw $\overline{AE} \perp \overline{DC}$
- (iii) Cut off $m\overline{AE} = m\overline{DC}$
- (iv) Join $\overline{EC}$

Then ADCE is the required rectangle.

Q3. Construct ΔABC such that $m\overline{AB} = 3$ cm, $m\overline{BC} = 3.8$ cm, $m\overline{AC} = 4.8$ cm. Construct a rectangle equal in area to the ΔABC , and measure its sides.

Solution:



Construction

- (i) Draw a line segment $\overline{AC} = 4.8$ cm
- (ii) With center at A and radius 3 cm draw an arc.
- (iii) With center at C and radius 3.8 cm draw another arc to cut the first arc at B.
- (iv) Join $\overline{AB}$ and $\overline{BC}$ to complete the ΔABC .

2


- (v) Draw $\overline{BL} \parallel \overline{AC}$.
- (vi) Draw $\overline{DP}$ the perpendicular bisector of $\overline{AC}$ to meet $\overline{BL}$ at P.
- (vii) Cut off $m\overline{PQ} = m\overline{DC}$.
- (viii) Join Q to C.
- (ix) Then PQCD is the required rectangle.
- (x) Measure the sides of the rectangle, $m\overline{DC} = 2.4$ cm and $m\overline{DP} = 2.3$ cm.

3

EXERCISE 17.5

Q1. Construct a rectangle whose adjacent sides are 2.5 cm and 5 cm respectively. Construct a square having area equal to the given rectangle.

Solution:




Construction:

- (i) Draw the line segment $m\overline{BC} = 5\text{ cm}$.
- (ii) Cut off $m\overline{BA} = 2.5\text{ cm}$.
- (iii) Cut off $m\overline{DE} = m\overline{DC}$.
- (iv) Produce $\overline{AD}$ to Q.
- (v) Cut off $m\overline{DE} = m\overline{DC}$.
- (vi) Bisect $\overline{AE}$ at the point O.
- (vii) With O as the center and $m\overline{OA}$ as radius draw semi-circle.
- (viii) Produce $\overline{CD}$ to meet the semicircle at M.
- (ix) With $m\overline{DM}$ as a side complete the square DFLM.
- (x) Then DFLM is the required square.

Q2. Construct a square equal in area to a rectangle whose adjacent sides are 4.5 cm and 2.2 cm respectively. Measure the sides of the square and find its area and compare with the area of the rectangle.

1

Solution:



Construction:

- (i) Take $m\overline{BC} = 4.5\text{ cm}$.
- (ii) At the end point B draw $\overline{BP} \perp \overline{BC}$.
- (iii) Cut off $m\overline{BA} = 2.2\text{ cm}$.
- (iv) Complete the rectangle ABCD.
- (v) Produce $\overline{AD}$ to E making $m\overline{DE} = m\overline{CD}$.
- (vi) Bisect $\overline{AE}$ at O.
- (vii) With center O and radius $m\overline{OA}$ describe a semi-circle in M.
- (viii) Produce $\overline{CD}$ to meet the semi-circle in M.
- (ix) On DM as a side construct a square DFLM. This shall be the required square.
- (x) Measure the side of the square $m\overline{DF} = 3.2\text{ cm}$.

$$\text{Area of the square} = 3.2 \times 3.2 = 10.24\text{ cm}^2 (\text{approx.}).$$

$$\text{Area of rectangle} = 4.5 \times 2.2 = 9.90\text{ cm}^2 (\text{approx.}).$$

Q3. In Q2 above verify by measurement that the perimeter of the square is less than that of the rectangle.

Solution:

$$\text{Perimeter of square} = 4 \times 3.2 = 12.8\text{ cm}^2$$


2

$$\text{Perimeter of rectangle} = 2(4.5 + 2.2) = 2(6.7) = 13.4\text{ cm}^2$$

So, perimeter of square is less than that of rectangle.

Q4. Construct a square equal in area to the sum of two squares having sides 3 cm and 4 cm respectively.

Solution:




Construction:

- (i) Through a point A, draw two lines $\overline{XY}$ and $\overline{ST}$ perpendicular to each other.
- (ii) Cut off $m\overline{AB} = 3\text{ cm}$ and $m\overline{AL} = 4\text{ cm}$.
- (iii) $\overline{AB}$ as a side of square complete the square ALMN.
- (iv) $\overline{AL}$ as a side of square complete the square ALMN.
- (v) Join $\overline{BN}$.
- (vi) With $\overline{BN}$ as a side, complete the square BQPN. BQPN is the required square.

Q5. Construct a Δ having base 3.5 cm and other two sides equal to 3.4 cm and 3.8 cm respectively. Transform it into an equal square.

Solution:

3




Construction:

- (i) Take $m\overline{BC} = 3.5\text{ cm}$.
- (ii) With B as center draw an arc of radius 3.8 cm and with C as center and radius 3.4 cm draw another arc to meet the first arc at A.
- (iii) Join A to B and A to C to complete the ΔABC .
- (iv) Draw $\overline{PAQ} \parallel \overline{BC}$.
- (v) Draw $\overline{CQ} \perp \overline{PQ}$ meeting it in Q.
- (vi) Take the line EFG and cut off $\overline{EF} = \overline{DP}$ and $\overline{FG} = \overline{DC}$.
- (vii) With $\overline{MF}$ as side complete the square FMNR.

Then FMNR is required square.

Q6. Construct a Δ having base 5 cm and other sides equal to 5 cm and 6 cm. Construct a square equal in area to given Δ .

Solution:



4

Construction:

- (i) Take $m\overline{BC} = 5\text{ cm}$.
- (ii) With B as center and radius 6 cm, draw an arc. With center at C and radius 5 cm draw another arc to cut the first arc at A.
- (iii) Join $\overline{AB}$ and $\overline{AC}$ to get the ΔABC .
- (iv) Draw perpendicular bisector of $\overline{BC}$, bisecting it at D and meeting PAQ at P.
- (v) Draw $\overline{CQ} \perp \overline{PQ}$ meeting in Q.
- (vi) Take a line EFG and cut off $\overline{EF} = \overline{DP}$ and $\overline{FG} = \overline{DC}$.
- (vii) With O as center and radius $m\overline{OE}$ draw a semi-circle.
- (viii) At F draw $\overline{FM} \perp \overline{EG}$, meeting the semi-circle at M.
- (ix) With $\overline{MF}$ as a side complete required square FMNR.

REVIEW EXERCISE 17

Q1. Fill in the following blanks to make the statement true:

- (i) The side of a right-angled triangle opposite to 90° is called
- (ii) The line segment joining a vertex of a triangle to the mid-point of its opposite side is called a
- (iii) A line drawn from a vertex of a triangle which is to its opposite side is called an altitude of the triangle.
- (iv) The bisectors of the three angles of a triangle are
- (v) The point of concurrency of the right bisectors of the three sides of the triangle is from its vertices.
- (vi) Two or more triangles are said to be similar if they are equiangular and measures of their corresponding sides are
- (vii) The altitudes of a right-angled triangle are concurrent at the of the right angle.

Answers:

- (i) hypotenuse (ii) median (iii) perpendicular
(iv) concurrent (v) equidistant (vi) proportional (vii) vertex

Q2. Multiple Choice Questions. Choose the correct answer.

- (i) A triangle having two sides congruent is called _____
(a) scalene (b) right angled
(c) equilateral (d) isosceles

(ii) A quadrilateral having each angle equal to 90° is called _____

- (a) parallelogram (b) rectangle
(c) trapezium (d) rhombus

(iii) The right bisectors of the three sides of a triangle are _____

- (a) congruent (b) collinear
(c) concurrent (d) parallel

(iv) The _____ altitudes of an isosceles triangle are congruent.

- (a) two (b) three
(c) four (d) none

(v) A point equidistant from the end points of a line segment is on its _____

- (a) bisector (b) right-bisector
(c) perpendicular (d) median

(vi) _____ congruent triangles can be made by joining the mid-points of the sides of a triangle.

- (a) three (b) four
(c) five (d) two

(vii) The diagonals of a parallelogram _____ each other.

- (a) bisect (b) trisect
(c) bisect at right angle (d) none of these

(viii) The medians of a triangle cut each other in the ratio _____

- (a) 4:1 (b) 3:1
(c) 2:1 (d) 1:1

(ix) One angle on the base of an isosceles triangle is 30° . What is the measure of its vertical angle? _____

- (a) 30° (b) 60°
(c) 90° (d) 120°

(x) If the three altitudes of a triangle are congruent, then the triangle is _____

- (a) equilateral (b) right angled
(c) isosceles (d) acute angled

(xi) If two medians of a triangle are congruent then the triangle will be _____

- (a) isosceles (b) equilateral
(c) right angled (d) acute angled

Answers:

(i) d	(ii) b	(iii) c	(iv) a	(v) b
(vi) b	(vii) a	(viii) c	(ix) a	(x) a
(xi) a				

Q3. Define the following

(i) Incentre

The internal bisectors of the angle of a triangle meet at a point called the incentre of the triangle.

(ii) Circumcenter

The point of concurrency of the three perpendicular bisectors of the sides of a Δ is called the Circumcenter of the Δ .

(iii) Ortho center

The point of concurrency of three altitudes of a Δ is called its ortho center.

(iv) Centroid

The point where the three medians of a Δ meet is called the centroid of the triangle.

(v) Point of concurrency

Three or more than three lines are said to be concurrent, if they all pass through the same point.

The common point is called point of concurrency of the point of concurrency of the lines.